

# Full Paper Template for the 10<sup>th</sup> Turkish Conference on Earthquake Engineering, 8-10 October 2025, Istanbul Technical University

Name Surname<sup>1</sup>, Name Surname<sup>2</sup>, Name Surname<sup>3</sup>\*

<sup>1</sup>Affiliation, Centered, Italic, Times New Roman 10 <sup>2</sup>Affiliation if different from 1, Centered, Italic, Times New Roman 10 <sup>3</sup>Affiliation if different from 1 and/or 2, Centered, Italic, Times New Roman 10 \*Corresponding author, only@email.tr, Centered, Italic, Times New Roman 10

### Abstract

The abstract should be maximum 300 words and not exceed one page.

**Keywords:** List 4-5 keywords in alphabetical order separated by commas and ending with a stop. (font size: 11 points, aligned: justify).

## **General Information**

Paper size should be A4 (21.0 cm x 29.7 cm). Page margins should be 2.5 cm for the left, right, top and bottom margins. The full paper should not exceed 10 pages.

If you use this document as a master file for your paper, your paper should conform to the editorial guidelines formulated below.

# Title, Authors, Affiliation

The title of the paper (Times New Roman, 14 points, bold, first capital of every word, aligned: center) can use a maximum of two rows. Leave one blank line between title and authors (11 pt). Another line should be left free between authors and affiliations (11 pt).

The abstract should be in Times New Roman 11, aligned: justify.

Leave three blank lines between affiliations and abstract (11 pt), one blank lines between abstract and keywords (11 pt).

## Main text

Use 'Times New Roman' 11, single spacing, and 'justify' alignment for main text without indenting. Leave one blank line between the end of the text passage of a section and the following heading or subheading.

## Headings and Subheadings

Use 'Times New Roman' 14, bold letters for main headings and leave one blank line between heading and text. Use first capital of the first word for headings.

#### Subheadings

Use 'Times New Roman' 11, bold letters for subheadings. Use first capital of the first word. Do not leave a blank line between subheadings and text.



### **Figures and Tables**

#### General aspects

Figures and Tables can be placed within the text and must be cited before they are used in the text (Figure 1a and 1b).

#### Figures

Figures should be centrered and justified. Leave one blank lines between the text and the figure. In case the figure appears right on top of the page, do not leave a blank line. Do not leave a blank line between figure and figure caption. Leave one blank line between figure caption and next text passage or heading. Leave only one blank line between two consecutive figures or figures and tables. Example is given below.

#### Tables

Tables should be centre justified (Table 1). Table descriptions should be on top of the table with one blank line distance to the text or figure and table. Do not leave a blank line between table and table caption. Leave one blank lines below each table. Do not use font size smaller than 9.




Figure 1. NS component of 1999 Kocaeli Earthquake, a) acceleration time-history scaled to PGA of 0.42g b) scaled acceleration spectra

Location	Undamaged	Slightly Damaged	Moderately	Heavily Damaged
			Damaged	
Buğören	250	215	130	210
Dodurga	150	315	310	420
Elden	95	45	25	135
Merkez	1100	520	70	15

Table 1. Damage distribution after earthquake

# Equations

Formulas and equations should be separated from the text (or figure/table) by one blank line before and after. Leave one blank line between two consecutive formulas and equations. In case a number of equations are used, provide numbering as in the example below. All equations must be cited before they are used in the text (Eq. 1). Cite the multiple equations as the following example (Eqs. 1-2)

$$\mathbf{A} = \mathbf{B} \times \mathbf{C} \tag{1}$$

$$\mathbf{D} = \mathbf{E} + \mathbf{F} \tag{2}$$



## Citations

Use the following examples for in-text citation. Author A et al. (Year) tested FRP jacketed low strength concrete members with circular and rectangular cross sections, and stated that when the unconfined concrete quality was lower, the efficiency of the FRP jackets was higher. Use the author's last name and the year of publication in the text (Author A and Author B, Year; Author A et al., Year;).

Each reference shall be listed in a reference section as given in the example below. References should be listed alphabetically. Leave one blank line between two consecutive references.

### Conclusions

When drafting this section, summarize the key findings, ensuring that readers can quickly grasp the overall message and significance of the research. Acknowledge the limitations of the study and propose potential directions for future research. Avoid introducing new data or arguments that were not previously discussed in the main body of the paper.

## References

- 1. Author A (Year) Article title. Journal 2(5):99–110.
- 2. Author A, Author B (Year) Title of a proceedings paper. In: Editor F, Editor S (eds.) Proceedings Title, pp. 1–13. Springer, Heidelberg.
- 3. Author A, Author B, Author C (Year) Book title. 2nd edn. Publisher, Location.
- 4. Author A (Year) Contribution title. In: 9th International Proceedings on Proceedings, pp. 1–2. Publisher, Location.
- 5. LNCS Homepage, http://www.springer.com/lncs, last accessed 2016/11/21.